F

INDEX MAPS.

T. 13 N. R. 10 W. 2nd Mer.



T. 14 N. R. 10 W. 2nd Mer.



☞ The figures on the lines refer to the page.

Township No. 14 North of Range No. 10 West of the 2nd Mer. Ind.

South Boundary June 22d

West On a Random line between Sec. 1 & 36. T. 13 & N.R. 10 W
T. 14 N.R. 10 W
13.50 To a Brook 10 lks wide, Course N.W.
40,00 Set a temp.y 1/4 sec post.
80,00 Set a temp.y post for the cor. of sec. 35 & 36.
Land level and good for farming; Timber Sugar, Oak & Some Walnut,

---

West On a Random line On the South B.y of Sec. 35.
T. 14 N.R. 10 W
40,00 Set a temp.y 1/4 sec post.
80,00 Set a temp.y post for the cor. of sec. 34 & 35.
Land 2nd rate Timber Oak, Sugar &c.

West On a Random line On the South B.y of Sec. 34.
T. 14 N.R. 10 W
40,00 Set a temp.y 1/4 sec post.
47.50 To a Brook 10 lks wide, Course N.
80,00 Set a temp.y post for the cor. of sec. 33 & 34.
Land level and 2nd rate; Timber Oak, Hick.y &c.

West On a Random line On the South B.y of Sec. 33.
T. 14 N.R. 10 W June 23d.
40,00 Set a temp.y 1/4 sec post
55.00 To a Prairie.
70.00 Leave prairie.
80,00 Set a temp.y post for the cor. of sec. 32 & 33
Land do Same.

East On the True line On the South B.y of Sec. 33.
T. 14 N.R. 10 W
40,00 Set the temp.y 1/4 sec post on the true line from which a
Hick.y 8 in dia. bears N 32 E. 34 lks dist; & a
Cherry. 6 " " " S 33 W. 12 " "
80,00 Set a post temp.y on the true line for the ~~cor.~~ of sec. 33 & 34

ga.

3

9. Comp.

from which a W Oak. 18 in diam bears N 50 E. 13 lks dist
and a B. Oak. 36 " " " S 51 W. 65 " "
by Wm Harris. D.S.

Wednesday June 11th 1828
Set a post on the State line between Indiana & Illinois
at the intersection of the line between T. 13 & 14 N R. 10 W
from which a (South side of Sec. 33)
S Oak. 10 in diam Edge of prairie. bears S 87 E 317 lks dist
Aspen 10 " " West 1457 " "

East From the State line On the South B. of sec. 33. T 14 N R 10 W
16.27. To the ¼ sec post. the bearing trees were destroyed by fire; Marked a
Black Haw 6 in diam bears N 30 W. 7 lks dist; & a
Do. Do. 6 " " " N 30 E. 7 " " "
56.20 To the cor of secs. 33 & 34.

West From the State line On the South B. of sec. 33.
23.40 To the cor of sec. 32 & 33. by Wm Polke. D.S.

East On the true line On the South B. of sec. 34. T. 14 N R 10 W
40,00 Set the temp. ¼ sec post on the true line from which a
B. Oak. 30 in diam bears N 52 W. 24 lks dist; & a
Sugar. 24 " " " S 85 E. 67 " "
80,00 Set the temp. ¼ sec post on the true line for the cor of secs. 34 & 35. from which a
W Oak. 24 in diam bears N 27 E. 48 lks dist; & a
Do. 18 " " " N 79 W. 29 " "

East On the true line On the South B. of sec. 35.
T. 14 N R. 10 W.
40,00 Set the temp. ¼ sec post on the true line from which a
Sugar. 10 in diam bears N 84 E. 23 lks dist; & a
B. Oak 36 " " " S 75 W 27 " "
80.00 Set the temp. post on the true line for the cor of secs. 35 & 36.

W Oak 30 in diam bears N 9 E. 40 lks dist; &
Do. 14 " " " S 20 W. 4 " "

East On the town line On the South Bound'y of sec. 36.
T. 14 N R. 10 W.
40,00 Set the temp'y ¼ sec post at the town line from which a
W Oak. 18 in diam bears N 70 E. 15 lks dist; &
Beech. 18 " " " S 16 W. 26 " "
80.00 To the cor of Ts 13 & 14 N Rs 9 & 10 W.

East Boundary

N. 30

North On the East B'y of sec. 36. T. 14 N R. 10 W.
22,50 To a Brook 15 lks wide Co. E.
40,00 Set a ¼ sec post from which a
Buckeye. 8 in diam bears S 27 E. 21 lks dist; &
Beech. 10 " " " N 65 W. 26 " "
80,00 Set a post for the cor of sec. 25 & 36. from which a
W Oak. 6 in diam bears S 18 E. 33 lks dist; &
B Walnut 20 " " " N 37 W. 22 " "
Land a little rolling and good for farming
Timber Beech, Sugar & Walnut.

North On the East B'y of sec. 25 T. 14 N R. 10 W.
40,00 Set a ¼ sec post from which a
Hick'y 8 in diam bears N 81 W. 54 lks dist; &
Sycamore. 26 " " " S 51 E. 63 " "
43.50 To a Brook 60 lks wide, Course N. E.
45.00 To a Prairie.
80,00 Set a post for the cor of sec. 24 & 25. from which (
Corner in Prairie. No bearings.
Land most Prairie. 3d rate.

North On the East B'y of sec. 24. T. 14 N R. 10 W
12,00 Leave Prairie
40,00 Set a ¼ sec post from which a
W Oak. 14 in diam bears N 5 W 41 lks dist; &

Hickory 10 in dia brs. S 5 W. 28 lks dist;
80,00 Set a post for the cor of secs 13 & 24 from which a
Hickory 9 in dia brs S 54 E. 14 lks dist; &
Sycam. 12 " " " N 62 W. 24 " "
Land 2nd rate; Timber Oak, &c.

North On the East B.y of sec. 13. T. 14. N R. 10 W T. 1.
40,00 Set a ¼ sec post from which a
Hickory 12 in dia brs S 14 W. 25 lks dist; &
W Oak. 10 " " " N 41 E. 75 " "
80,00 Set a post for the cor of secs 12 & 13. from which a
W Oak. 15 in dia brs. N 23 E. 15 lks dist; &
Do. 10 " " " S 63 W 5 " "
Land 2nd rate Timber Oak &c.

North On the East B.y of sec. 12 T. 14. N R. 10 W
22.50 Leg Brook 20 lks wide, Course N.E.
40,00 Set a ¼ sec post from which a
Sugar. 12 in dia brs N 30 W 36 lks dist; &
Do. 15 " " " S 29 E. 7 " "
80,00 Set a post for the cor of secs 1 & 12 from which a
Hickory 16 in dia brs. N 65 E. 11 lks dist; &
Sugar. 10 " " " S 10 W. 32 " "
Land good for farming Timber Sugar. Walnut &c

North On the East Boundary of sec. 1. T. 14 N R. 10 W
40,00 Set a ¼ sec post from which a
Elm. 12 in dia brs N 73 E. 10 lks dist; &
Hickory 12 " " " S 48 W 48 " "
80,00 Intersect the E W Tp line 245. lks East of the
Temp.y post set for the cor of Ts. 14 & 15 N R. 9 & 10
W and set post for Town.p Cor from which a
Elm. 12 in dia brs. S 29 W. 7 lks dist; & a
Elm. 12 " " " N 43 E. 45 " "
Land level and 2nd rate; Timber Oak & Elm.

T. No. 14 N. R. No. 10 W. 2nd Mer. Ind. 271

North Boundary V: 6°25' I. 12

West On a Random line On the South B'y of Sec. 36.
T. 15 N. R. 10 W.
40,00 Set a temp'y ¼ sec. post.
80,00 Set a temp'y post for the cor. of secs. 35 & 36.
Land good for farming Timber Oak & Sugar,

West On a Random line On the South B'y of Sec. 35.
T. 15 N. R. 10 W.
40,00 Set a temp'y ¼ sec. post.
17,00 To a Brook 10 lks wide, Co. S.W.
80,00 Set a temp'y post for the cor. of secs. 34 & 35.
Land 2nd rate;

West On a Random line On the South B'y of Sec. 34
T. 15 N. R. 10 W.
40,00 Set a temp'y ¼ sec. post
80,00 Set a " post for the cor. of secs. 33 & 34
Land rolling and 2nd rate; Timber Oak, &c.

West On a Random line On the South B'y of Sec. 33.
T. 15 N. R. 10 W. July 29th
38.00 To a Brook 20 lks wide, Course S.W.
40,00 Set a temp'y ¼ sec. post.
68.00 To a Creek 80 lks wide, Course S.
80,00 Set a temp'y post for the cor. of secs. 32 & 33.
Land 2nd rate; Timber Oak &c.

East On a true line On the South B'y of Sec. 33.
T. 15 N. R. 10 W.
40,00 Set the temp'y ¼ sec. post on the true line from which a Sycamore 15 in. dia. bears S 87 W 32 lks dist; & a Sycam. 12 " " " North 27 " "
80,00 Set the temp'y post for the cor. of secs. 33 & 34 on the true line from which a Hickory 16 in. dia. bears N 40 E 46 lks dist. and a W. Oak 20 " " " N 60 W 15 " "

T. No. 14 N R. No. 10 W 2nd Mer. Inda.

Surveyed by Wm Harris D.S.

Thursday June 12th 1828.
Set a post on the State line at the intersection of the Line between Ts 14 & 15 N R. 10 W. South side of Sec. 33. from which
Hicky 8 in diam bears S 73 W. 11 lks dist; & a
R. Oak. 10 " " " South 11 " " " "
Sugar. 18 " " " N 15 E. 45 " " " "
R. Oak. 12 " " " N 88 W 45 " " "

East From the State line On the South By of Sec. 33.
T. 15 N R. 10 W
10.00 To the ¼ Sec post.
50.05. To the cor of Sec. 33 & 34 on Tp. line

West From the State line On the South By of Sec. 33.
30.00 To the cor of Sec. 32 & 33.

East On the True line On the South By of Sec. 34.
T. 15 N R. 10 W
40,00 Set the tempy ¼ Sec post on the true line from which
W Oak. 10 in diam bears S 72 W. 32 lks dist; & a
Hicky 10 " " " S 12 E. 49 " "
80,00 Set the tempy post on the true line for the cor of Sec. 34 & 35.
from which W Oak. 64 in diam bears S 34 W. 22 lks dist
and a B. Oak. 18 " " " N 23 E. 62 " "

East On the true line On the South By of Sec. 35.
T. 15 N R. 10 W
40,00 Set a tempy ¼ Sec post on the true line from which
Hicky 14 in diam bears S 46 W. 55 lks dist; & a
W Oak. 6 " " " N 28 E. 26 " "
80,00 Set the tempy post On the true line for the cor of Sec. 35 & 36
from which W Oak. 12 in diam bears N 81 W. 73 lks dist
and a Do. 10 " " " S 19 E. 50 " "

East On the true line on the South By. of Sec. 36.
T. 15 N. R. 10 W
40,00 Set the temp. ¼ sec. post on the true line from which a
W. Oak 6 in. diam. bears S 61 W 33 lks dist. and
Do. 6 " " " N 26 E. 41 " "
80,00 To the cor. of Secs. 1. 6. 31 & 36. Ts. 14 & 15 N. Rs. 9 & 10 W
Surveyed by
Wm. Harris D.S.

Subdivisions June 24 1816. – V. 7°

North Between Secs. 35 & 36. T. 14 N R. 10 W.
26.00 To a Brook 15 lks wide, Course E.
40,00 Set a ¼ sec. post from which a
W. Oak 12 in. diam. bears S 17 W. 23 lks dist. and
B. Oak 36 " " " N 9 E 59 " "
80,00 Set a post for the cor. of Secs. 25, 26. 35 & 36. from which an
Elm 18 in. diam. bears S 43 W. 49 lks dist. and
W. Oak 36 " " " N 43 E. 43 " "
Land 2nd rate; Timber Oak, & Elm, &c.

East On a Random line between Secs. 25 & 36. T. 14 N R. 10 W
40,00 Set a temp. ¼ sec. post. V. 6° 26'
80.67 Intersect the East Boundary 67 lks South of the post cor. of Sec. 25 & 36.
Land good for farming; Timber Oak, Sugar & Wal.

West On the true line between Secs. 25 & 36. T. 14 N R. 10 W
40.33 Set the temp. ¼ sec. post at the eq. dist. on the true line from which a Hick.y 12 in. diam. bears S 76 W 35 lks dist. and a W. Oak 30 " " " S 10 E. 26 " "
80.67 To the post cor. of Secs. 25, 26. 35 & 36.

North Between Secs. 25 & 26. T. 14 N R. 10 W
40,00 Set a ¼ sec. post from which a
B. Oak 14 in. diam. bears S 84 E. 20 lks dist. and
Hick.y 10 " " " N 76 W. 16 " "

T. No 14 N R. No 10 W 2nd Mer. Ind:

69.00 To a Creek 80 links wide, Course E.
72.00 " " Do. 80 " " " S.W.
80.00 Set a post for the cor of Secs 23. 24. 25 & 26. from which,
Sycamore 30 in diam bears S 22 E. 28 lks dist; & a
Cottonwood 40 " " " N 43 W 10 " "
Land 2nd rate,

East On a Random line between Secs 24 & 25. T. 14 N R. 10 W
1.50 To a Creek 80 lks wide, Course S.
5.00 To a prairie.
30.00 Leave "
40.00 Set a temp'y ¼ sec post.
72.00 To a prairie,
80.00 Intersect the N & S line or East B'y. Corner not found.

West On the true line between Secs 24 & 25 T. 14 N R. 10 W
40.00 Set the temp'y ¼ sec post at the av dist on the true line from which, a B. Oak 18 in diam bears N 80 W 4 lks dist
and a W. Oak 20 " " " N 37 W 20 " "
80.00 To the cor of Secs 23. 24. 25 & 26.

North Between Secs 23 & 24. T. 14 N R. 10 W. V: 267
3.50 To a Creek 80 lks wide Course E.
5.00 To a prairie.
21.50 Leave "
40.00 Set a ¼ sec post from which, a
Sugar 10 in diam bears S 35 W 37 lks dist; & a
Do. 12 " " " N 75 E 35 " "
80.00 Set a post for the cor of Secs 13. 14. 23 & 24 from which,
Hickory 12 in diam bears S 45 E. 14 lks dist; & a
Do. 10 " " " N 63 E. 68 " "
Land rolling and poor.

East On a Random line between Secs 13 & 24. T. 14 N R. 10 W
4000 Set a temp'y ¼ sec post

80.50 Intersect the East Boundary 170 lks South of the post cor of Sec. 13 & 24.
Land 2nd rate; Timber Oak.

West On the True line between Sec. 13 & 24. T 14 N R 10 W
40.25. Set the temp. 1/4 sec post at the ave dist on the true line
from which a W Oak. 14 in dia. bears N 45 E. 28 lks dist;
and a Do. 12 " " " S 4 W. 32 " "
80.50 To the post cor of Secs. 13. 14. 23 & 24.

North Between Sec. 13 & 14 T 14 N R. 10 W
34.00 To a Brook. 10 lks wide, Course S.W.
40,00 Set a 1/4 sec post from which a
W Oak 12 in dia. bears. S 6 W. 45 lks dist; and a
Do. 10 " " " N 12 W. 10 " "
80.00 Set a post for the cor of Secs. 11. 12. 13 & 14 from which a
W Oak. 18 in dia. bears. S 37 W 30 lks dist; and a
Do. 20 " " " North 12 " "

East On a Random line between Sec. 12 & 13. T 14 N R. 10 W
40,00 Set a temp. 1/4 sec post V. 8° 50'
80.18 Intersect the East Bdy 32 links North of the post cor of Sec. 12 & 13.
Land level and 2nd rate.

West On the true line between Sec. 12 & 13. T. 14 N R 10 W.
40.09 Set the temp. 1/4 sec post at the ave dist on the true line
from which a Hack 10 in dia. bears S 80 W. 26 lks dist
and a W Oak 36 " " " N 84 E 26 " "
80.18 To the post cor of Secs. 11. 12. 13 & 14

North Between Sec. 11 & 12 T. 14 N R 10 W
40,00 A W Oak 36 in dia. stands for the cor of 1/4 sec.
80,00 Set a post for the cor of Secs. 1. 2, 11. & 12 from which an
Elm. 10 in dia. bears. N 75 E 35 lks dist; and a
Hackby 10 " " " S 47 W 26 " "

Land level and good for farming

East On a Random line between Sec. 1 & 12 T. 14 N R 10 W
40.00 Set a temp. 1/4 sec post
80.31 Intersect E. East Bdy 10 lks South of the post cor of sec.
1 & 12 Land level and good for farming Timber Sugar
& Oak &c

West On the true line between Sec 1 & 12 T 14 N R 10 W
40.15 Set the temp. 1/4 sec post at the cor dist on the true line from
which a Hick. 14 in dia bears N 85 W 27 lks dist
and a Elm 12 " " " N 73 E 89 " "
80.31 To the post cor of sec 1 2 11 & 12

North Between Sec 1 & 2 T. 14 N R. 10 W
40.00 Set a 1/4 sec post from which
W Oak 12 in dia bears N 82 E 8 lks dist & a
B Oak 30 " " " S 68 W 32 " "
81.50 Intersect the N. Bdy 60 lks West of the post cor of sec
35 & 36 T. 15 N R. 10 W cor. set a post for the cor " "
1 & 2 from which
W Oak 10 in dia bears S 46 W 40 lks dist & a
Do 12 " " " N 31 E 7 " "
Land level and good for farming Timber Oak
Hick &c

South On a Random line between Sec 34 & 35 T 14 N R. 10 W
40.00 Set a temp. 1/4 sec post
80.10 Intersect the South Bdy of Tp 1.45 lks East of the post
cor of sec 34 & 35
Land 2nd rate Timber Oak &c

North On the true line between Sec 34 & 35 T. 14 N R. 10 W
40.05 Set the temp. 1/4 sec post at the cor dist on the true line
from which W Oak 12 in dia bears N 69 W 33 lks dist
and a Do. 12 " " " N 86 E 31 " "

80.10 To the post cor of secs. 26. 27. 34 & 35.

West Between Secs. 26 & 35 T 14 N R. 10 W
40.00 Set a qr. sec. post from which
Hickory 10 in diar. bears N 87 W. 24 lks. dist. &
W. Oak. 12 " " " S 56 E 49 " "
80.00 Set a post for the cor of secs. 26. 27. 34 & 35 from which
W. Oak. 30 in diar. bears S 47 W 39 lks. dist. &
Do 14 " " " N 42 E 70 " "
Land 2nd rate Timber Oak & Hickory

North Between Secs. 26 & 27 T. 14 N R. 10 W
40.00 Set a qr. sec. post from which
W. Oak 30 in diar. bears N 18 E 29 lks. dist. &
Hickory 12 " " " S 26 W 38 " "
80.00 Set a post for the cor of secs. 22. 23. 26 & 27 from which
W. Oak. 20 in diar. bears South 50 lks. dist. &
Do. 20 " " " North 75 " "
Land 2nd rate Timber Oak &c

East On a random line between Secs. 23 & 26. T. 14 N R. 10 W
36.00 To a brook 10 lks. wide, Course N. E.
40.00 Set a temp'y qr. sec. post
80.00 Intersected the N & S line 110 lks. North of the post cor of
Secs. 23. 24 25 & 26.
Land rolling and poor

West On the true line between Secs. 23 & 26. T 14 N R 10 W
40.00 Set a temp'y qr. sec. post at the ave. dist. on the true line
from which Lynn 12 in diar. bears S 9 E. 19 lks. dist.
and a Dogwood 6 " " " N 16 W 22 " "
80.00 To the post cor of secs. 22 23. 26 & 27

North Between Secs. 22 & 23 T 14 N R 10 W Jan. 26
30.50 To a creek 80 lks. wide, Course E.
40.00 Set a qr. sec. post from which

Cottonwood 40 in diam bears N 33 W 14 lks dist & a
Hickory 15 " " " S 70 E 33 " " "
62.50 To the same Creek 80 lks wide Course SW
80.00 Set a post for the cor of secs 14.15.22 & 23 from which a
Hackberry 20 in diam bears S 26 W 85 lks dist & a
B Walnut 36 " " " N 39 E 13 " "
Land rich bottom Timber Walnut Hackberry &c

East On a Random line between Secs 14 & 23 T. 14 N R 10 W
28.50 To a Creek 80 lks wide Co SW
40.00 Set a tempy ¼ sec post
79.18 Intersect the N & S line 12 lks North of the post cor of
Secs 13.14.23 & 24
Land 2nd rate.

West On the true line between Secs 14 & 23 T 14 N R 10 W
39.59 Set the tempy ¼ sec post at the ev dist on the true line
from which a B Oak 12 in diam bears N 2 E 19 lks dist
and a Do. 14 " " " N 18 E 23 " "
79.18 To the post cor of secs 14.15.22 & 23

North Between Secs 14 & 15 T 14 N R 10 W
40.00 Set a ¼ sec post from which a
Hickory 5 in diam bears S 64 W 8 lks dist & a
Sycam. 12 " " " S 89 E 12 " "
80.00 Set a post for the cor of secs 10.11. 14 & 15 from which a
B Oak 18 in diam bears S 4 W 63 lks dist & a
B Walnut 20 " " " N 6 W 20 " "
Land 2nd rate

East On a Random line between Secs 11 & 14 T 14 N R 10 W
10.50 To a Creek 80 lks wide Course E.
40.00 Set a tempy ¼ sec post
79.50 Intersect the N & S line 35 lks North of the post cor
of Secs 11.12 13 & 14
Land 2nd rate Timber Oak Hickory

West On the true line between Secs. 11 & 14 T. 14 N R. 10 W
39.75. Set the temp. ¼ sec post at the av. dist. on the true line
from which a W Oak 12 in dia. bears S 75 E 39 lks dist;
and a Do 12 " " " N 41 W 12 " "
79.50 To the post cor of secs 10. 11. 14 & 15.

North Between Secs 10 & 11. T. 14 N R. 10 W
16.00 To a brook 8 lks wide. Course S.E.
40,00 Set a ¼ sec post from which a
W Oak 15 in dia bears S 84 E 56 lks dist; & a
B. Oak 12 " " " S 53 W 43 " "
80,00 Set a post for the cor of secs 2, 3. 10 & 11. from which a
B Oak 10 in dia bears N 16 E 20 lks dist; & a
Do 12 " " " S 82 W 58 " "
Land 2nd rate.

East On a Random line between Secs 2 & 11. T. 14 N R. 10 W
40,00 Set a temp. ¼ sec post
79.55. Intersect the N B. line at the cor of secs 1. 2. 11 & 12
Land 2nd rate Timber Oak & Hickory

West On the true line between Secs 2 & 11. T. 14 N R. 10 W
39.77 Set the temp. ¼ sec post at the av. dist. on the true line
from which a Hickory 12 in dia. bears S 75 E 25 lks dist;
and a W Oak 12 " " " S 66 W 35 " "
79.55 To the post cor of secs 2. 3. 10 & 11.

North Between Secs 2 & 3. T. 14 N R. 10 W
40.00 Set a ¼ sec post from which a
W Oak 18 in dia bears S 77 E 27 lks dist; & a
Do 20 " " " S 72 W 47 " "
81.52 Intersect the N. B. T. 40 lks East of the post cor of secs
34 & 35 T. 15 N R. 10 W and set a post for the " " "
2 & 3 from which a
W Oak 12 in dia. bears S 18 W 52 lks dist; & a
Do 12 " " " N 8 W 26 " "

Land level and good for farming; Timber Oak & Hick.

North Between Sec 33 & 34 T. 14 N. R. 10 W V. 7° 00'
4.00 To a Brook 8 lks wide, Course E
40,00 Set a ¼ sec post from which June 24.
Hick. 11 in diar bears S 20 E 45 lks dist; &
R. Oak 3 " " " N 85 W 17 " "
56.00 To a Brook 20 lks wide, Course E.
80,00 Set a post for the cor of sec 27. 28. 33 & 34 from which
W. Oak 24 in diar bears S 70 E 11 lks dist; &
Do. 12 " " " S 39 W 17 " "
Land a little rolling Timber Oak & Hick. Land good for farming

West On a Random line between Sec 27 & 34 T 14 N R 10 W
40,00 Set a temp'y ¼ sec post June 25.
50.50 To a Brook 20 lks wide, Course N.
81.00 Intersect the N & S line 18 lks South of the post cor of Secs 27. 28. 33 & 34
Land 2nd rate Timber Oak & Hick.

East On the true line between Sec 27 & 34 T 14 N R 10 W
40.50 Set the temp'y ¼ sec post at the cor dist on the true line from which W Oak 15 in diar bears N 71 E 10 lks dist;
and a Do. 10 " " " S W. 10 " "
81.00 To the post cor of secs 26. 27. 34 & 35.

North Between Sec 27 & 28 T 14 N R 10 W V. 7° 00'
9.50 To a Brook 6 lks wide, Course E.
40,00 Set a ¼ sec post from which
W Oak 12 in diar bears N 82 E 9 lks dist; &
Do. 12 " " " West 15 " "
52.00 To a Creek 60 lks wide, Course N W.
80,00 Set a post for the cor of secs 21. 22. 27 & 28 from which
Buckeye 12 in diar bears S 53 W 4 lks dist; &

	W Walnut. 15 in diam. bears N 33 E. 17 lks dist; Land similar N.p broken
West	On a Random line between Sec. 22 & 27. T. 14. N R. 10 W
15.00	To a Brook. 20 links wide, Course N.E.
32.00	" " Do. 20 " " " S.E.
40.00	Set a temp.y ¼ sec post
62.00	To same Creek or Brook. 20 lks wide Co. N.E.
69.00	" " Do. 20 " " " S.E. a Coal Bank
81.20	Intersect the N & S line 13 links North of the post cor. of Sec. 21. 22. 27 & 28. Land broken & 3d rate;
East	On a True line between Sec. 22 & 27. T. 14 N R 10 W
40.70	Set the temp.y ¼ sec post at the av. dist. on the true line from which W Oak. 8 in diam. bears S 54 E. 38 lks dist; & Hackberry. 12 " " " N 39 W 23 " "
81.20	To the cor of sec. 22, 23, 26 & 27
North	Between Sec. 21 & 22 T. 14. N R. 10 W
0.50	To a Creek 60 lks wide Course N.E.
40.00	Set a ¼ sec post from which Hick.y 10 in diam. bears N 45 E. 16 lks dist; & W Oak. 18 " " " N 77 W. 29 " "
66.00	To a Brook. 8 lks wide, Course E.
80.00	Set a post for the cor of sec. 15, 16. 21 & 22 from which Hick.y 10 in diam. bears S 18 E. 71 lks dist; & Do. 12 " " " N 3 E. 46 " " Land same.
West	On a Random line between Sec 15 & 22 T. 14. N R. 10 W
40.00	Set a temp.y ¼ sec post
81.30	Intersect the N & S line 19 lks North of the post cor. of sec. 15.16.21 & 22 Land level and 2nd rate: Timber oak & Hick.y

T. No. 14. N R. No. 10 W 2nd Mer. Ind.a

East On a true line between Secs 15 & 22 T. 14 N R. 10 W
40.65 Set the temp.y ¼ sec post at the ave dist. on the true line from which a W Oak 20 in dia. bears S 20 W. 15 lks dist. and a Do. 24 " " " N 47 E. 25 " "
81.30 To the post cor of secs 14. 15. 22 & 23.

North Between Secs 15 & 16. T. 14 N R. 10 W
40.00 Set a ¼ sec post from which a W Oak 24 in dia. bears S 44 E. 21 lks dist; & Hickory 12 " " " North 76 " "
50.00 To a Brook 10 lks wide Course E. "
80.00 Set a post for the cor of secs 9. 10. 15 & 16 from which a W Oak 14 in dia. bears N 69 E. 25 lks dist; & B Oak 27 " " " S W 34 " "
Land a little rolling and good for farming: Timber Oak & Hickory

---

East On a Random line between Secs 10 & 15 T. 14 N R. 10 W
29.00 To a Brook 10 lks wide, Course S. E.
40.00 Set a temp.y ¼ sec post
81.07 Intersect the N B line 32 links South of the post cor. of secs 10. 11. 14 & 15.
Land 2nd rate.

West On the true line between Secs 10 & 15 T. 14 N R. 10 W.
40.53. Set the temp.y ¼ sec post at the ave dist on the true line from which a B. Oak 10 in dia bears S 80 W. 27 lks dist and a W Oak 12 " " " N 11 E. 18 " "
81.07 To the post cor of secs 9. 10. 15 & 16.

North Between Secs 9 & 10. T. 14 N R. 10 W
15.00 To a Brook 10 lks wide, Course E.
40.00 Set a ¼ sec post from which a W Oak 12 in dia. bears — 66 E. 36 lks dist, & Do. 14 " " " S 7 W. 46 " "
73.50 To a Brook 6 lks wide, Course E.

80,00 Set a post for the cor of sec. 3. 4 9 & 10 from which
Buckeye 10 in diam bears S 76 E. 22 lks dist; &
Hicky 5 " " " S 56 W. 5 " "
Land same

West On a Random line between Sec. 3 & 10. T. 14 N R. 10 W
40,00 Set a temp'y 1/4 sec post
42,00 To a Brook 80 lks wide, Course S.E.
81.05 Intersect the N & S line 51. lks North of the cor of sec.
43. 9 & 10
Land 2nd rate.

East On a true line between Sec. 3 & 10 T. 14 N R. 10 W
40.27 Set the temp'y 1/4 sec post at the cor dist on the true line
" " " " from which, Cottonwood 12 in diam bears N 27 E 25 lks
and a Willow 6 in diam bears S 30 E 18 lks dist:
81.05. To the post cor of sec. 3 4 9 & 10.

North Between Sec. 3 & 4 T. 14 N R. 10 W.
12.00 To a Creek 100 lks wide, Course E.
33.50. " " Spring branch, 6 lks wide, Course W
40,00 Set a 1/4 sec post from which
W Oak 12 in diam bears S 6 E. 27 lks dist: & a
Do. 14 " " " N 32 W. 16 " "
82.55. Intersect the N B T 26 lks West of the post cor of secs
33 & 34 T 15 N R. 10 W and set a post " " "
3 & 4 from which
B Oak 12 in diam bears N 15 E. 3 lks dist; & a
Do. 10 " " " S 15 W. 41 " "
Land similar

North Between Sec. 32 & 33. T. 14 N R. 10 W
0,00 Enter a prairie.
17.00 Passed prairie.
40,00 Set a 1/4 sec post from which
W Oak 30 in diam bears S 81 W 75 lks dist; & a

W Oak 14 in diar. bears N35 E. 153 lks dist;
67.00 Tow Brook 15 lks wide. Course W
80.00 Set a post for the cor of Sec. 28 29 32 & 33 from which a — Sec
B Oak 30 in diar. bears S63 E. 45 lks dist; & a
W Oak 14 " " " N62 W 39 " "
Sand land Timber. Oak, & Hickory Elm, ash &c. Good for farming.

East On a Random line between Sec. 28 & 33. T 14 N R. 10 W
40.00 Set a temp.y ¼ sec post
71.00 Tow Brook 6 lks wide, Course N.E.
79.00 Intersected the N & S line 83 lks North of the post cor of Sec. 27. 28 33 & 34.
Sand land; Timber Oak & Hickory; Good for farming

West On the true line between Sec. 28 & 33. T. 14. N R. 10 W
39.50 Set the temp.y ¼ sec post at the cor dist. on the true line from which a W Oak 14 in diar. bears S43 E. 13 lks dist and a Do. 18 " " " N44 W 35 " "
79.00 To the post cor of Sec. 28. 29. 32 & 33.

Surv.d by William Harris
Dep.y Surv.r

North On the State line from the South B.y of T. 14. N R. 10 W Sec. 33
33 57 To the 18th Mile post.

Set a post on the State (between Ind: & Ill. at the intersection of the line between Sec. 28 & 33 from which a
Double W Oak 36 in diar. bears S64 W. 9 lks dist; & a
Do 20 " " " N54 W 66 " " " "
Do. 28 " " " S24 E. 15 " " " "
Do. 12 " " " N42 E 74 " "

East From the State line between Sec. 28 & 33 T. 14. N R 10 W
11 40 To ¼ sec post

53.72	To the cor of sec. 27. 28 33 & 34
West	From the State line between Sec. 28 & 33. T. 14 N R 10 W
24.70	To the Cor of sec. 28. 29. 32 & 33.
	Survd. by Wm Polke. D.S.
North	Between Sec. 28 & 29 T. 14 N R. 10 W
40.00	Set a 1/4 sec post from which
	W Oak. 27 in diam. bears N 44 W. 45 lks dist; &
	B Oak. 27 " " " S 57 W. 41 " "
58.00	To a creek. 20 lks wide, course N.E.
77.00	" " Do. 15 " " " S.E.
80.00	Set a post for the cor of sec. 20. 21. 28 & 29 from which
	W Oak. — in diam. bears S 88 E. 39 lks dist; &
	B Oak. 18 " " " N 6 E. 59 " "
	Land part level and part broken; Timber Oak, & Hicky Soil rather thin.
	July. 27. 1816.
West	On a Random line between Sec. 28 & 21. T. 14. N R. 10 W
0.50	To a creek. 20 lks wide, course N E.
40.00	Set a 1/4 sec post. tempy
79.57	Intersect the N & S line. 42 lks South of the post cor. of sec. 20. 21 28 & 29.
	Land Broken & 3d rate; Timber Oak. &c.
East	On the true line between Sec. 21 & 28 T. 14 N R 10 W
39.78	A W Oak. 12 in diam. stands at the cor dist. on the true line for cor of 1/4 sec.
79.57	To the cor of sec. 21. 22, 27 & 28.
	Survd. by William Harris D.S.
	Set a post on the State line between Inda & Ill. at the intersection of the line between Sec 21 & 28 from which Hicky 12 in diam. bears S 60 E. 47 lks dist;
	& a W Oak. 18 " " " N 13 E. 71 " "

and an S Oak 30 in diamr. bears S57W 58 lks dist
& " Poplar 5 " " " N15W 61 " "

East From the State line between Sec 21 & 28 T 14 N R 10 W
14.00 To the ¼ sec post.
53.60 To the cor of sec 21. 22. 27 & 28.

West From the State line between Sec. 21 & 28 T. 14 N R 10 W
25.60 To the cor of sec. 20. 21. 28 & 29.
Survd by William Polke D.S.

North Between Sec 20 & 21. T 14 N R 10 W
40.00 Set a ¼ sec post from which
W Oak. 11 in diamr. bears S60E. 6 lks dist. &
S Oak. 18 " " " N21W. 26 " "
80.00 Set a post for the cor of sec 16. 17. 20 & 21 from which
Hick'y 8 in diamr. bears N26E. 25 lks dist; &
Do. 9 " " " S10W. 13 " "
Land level and middling good for farming;
Timber Oak & Hick'y.

East On a Random line between Sec 16 & 21. T 14 N R 10 W
40.00 Set a temp'y ¼ sec post.
78.77 Intersect the N & S line 55 lks North of the post cor. of sec 15. 16. 21 & 22
Land same.

West On the true line between Sec 16 & 21. T 14 N R 10 W
39.38 Set the temp'y ¼ sec post at the ave dist on the true line from which an Elm 12 in diamr bears S67E. 32 lks dist. and a Hick'y 14 " " " N36W 20 " "
78.77 To the post cor of sec 16. 17. 20 & 21.
Survd by Wm Harris D.S.

Set a post on the State line between Indª & Illinois at the intersection of the line between Sec 21 & 16 from

	which a Hickory 8 in diar. bears N 31 W 71 lks dist do Bur Oak 10 " " " S 88 W 24 " " Tan S Oak 6 " " " S 18 E 13 " " " " Ash 10 " " " N 80 E 53 " "
East	From the State line between Sec. 16 & 21. T 14 N R. 10 W
12.60	To the ¼ sec post.
52.70	To the cor of secs 15.16.21 & 22
West	From the State line between Sec 16 & 21. T 14 N R 10 W
27.50	To the cor of secs 16.17.20 & 21. Bearing trees found as described Survd by William Polke. D.S.
North	Between Sec 16 & 17 T 14 N R. 10 W V. 7°40'
20.00	Enter prairie
33.00	Passed "
40,00	Set a ¼ sec post from which a Hickory 9 in diar bears N 78 E. 7 lks dist; & a Do. 18 " " " S 81 W. 85 " "
57.50	Enter prairie
73.50	Passed "
80,00	Set a post for the cor of secs 8.9.16 & 17 from which a S Oak 30 in diar bears S 4 W 85 lks dist: Land similar
East	On a Random line between Sec 9 & 16. T 14 N R 10 W
40,00	Set a temp. ¼ sec post
79.83	Intersect the N & S line 28 lks North of the post cor of 9.10.15 & 16. Land level Timber Oak & Hickory; Good land for wheat
West	On the true line between Sec 9 & 16. T 14 N R 10 W

39.91 Set the tempy ¼ sec post at the av dist on the true line
from which a W Oak 30 in diar bears N 29 W. 27 lks dist
and a Do. 18 " " " N 47 E. 53 " "
79.83. To the cor of secs 8. 9. 16 & 17.

Survd by William Harris.
Depy Survr

Set a post on the State line between Inda & Illinois at
the intersection of the line between Secs 9 & 16. from which
a W Oak. 20 in diar bears S 35 E. 64 lks dist; & a
Do. 20 " " " N 80 E 52 " " "
R. Oak. 18 " " " N 75 W 36 " " "
Red Bud. 3 " " " S 30 W 32 " "

East
From the State line between Secs 9 & 16. T. 14 N R 10 W
11.10. To the ¼ sec post.
51.20 To the cor of secs 9. 10. 15 & 16.

West
From the State line between Secs 9 & 16. T. 14 N R 10 W
29.00 To the cor of secs 8. 9. 16 & 17.

Survd by Wm Polke. D.S.

North
Between Secs 8 & 9. T. 14 N R. 10 W
40,00 Set a ¼ sec post from which a
Hicky 12 in diar bears N 54 W. 25 lks dist; & a
Do. 12 " " " S 73 E 47 " " "
80,00 Set a post for the cor of secs 4. 5. 8 & 9 from which a
W Oak. 18 in diar bears S 40 W. 62 lks dist; & a
Do. 30 " " " N 43½ E. 99 " "
Land level 1st rate, Oak. Hicky Good for wheat

West
On a Random line between Secs 4 & 9. T. 14 N R 10 W
40,00 Set a tempy ¼ sec post.

19.53 Intersect the N & S line 14 lks South of the post cor of
Sec 4.5.8 & 9.
Land level Timber Oak & Hicky; Rather thin soil.

East On the true line between Sec. 4 & 9 T. 14 N. R. 10 W.
39.76. Set the temp. 1/4 sec post on the true line at an ash from
which, W Oak. 12 in diar. bears S 44 W 36 lks dist:
and a Do. 18 " " " N 9 E. 29 " "
79.53 To the post cor of Sec. 3 4 9 & 10.
Survd. by Wm Harris. D.S.

Thursday June 12th 1828.
Set a post on the State line between Inda. & Illinois
at the inter section of the the line between Sec. 4 & 9
from which, Hicky 15 in diar. bears N 27 W. 11 lks dist:
and a W Oak. 20 " " " S 38 W. 61 " "
and a Hicky 15 " " " S 38 E 37 " "
and a B Walnut 10 " " " N 75 E. 57 " "

East From the State line between Sec. 4 & 9 T. 14. N R. 10 W
10.30 To the 1/4 sec post.
49.80 To the cor of Sec. 3. 4. 9 & 10

West From the State line between Sec 4 & 9 T. 14 N R. 10 W
29.20. To the cor of Sec. 4. 5. 8 & 9.
Survd. by Wm. Polke. D.S.

North Between Sec. 4 & 5 T. 14 N R. 10 W.
40,00 Set a 1/4 sec post from which,
W Oak. 24 in diar. bears S 13 W 35 lks dist; &
Do. 24 " " " N 72 E. 66 " "
66.00 To a Creek. 100 lks wide, Course S.E.
79.00 " " Do. 100 " " " SW

82.00 Intersect the N B T 53 lks East of the post cor of sec.
32 & 33. T. 15 N R. 10 W and set a post for the cor of
Sec. 4 & 5 from which
Sugar 30 in diam. bears S 57 W 75 lks dist: &
W Oak 30 " " " N 44 E. 22 " "
Land Hilly & 3rd rate Timber Oak & Hick'y
Surv'd by
William Harris
Dep'y Sur.

I certify that the foregoing Transcript of the field notes of Township N° 14 North of Range N° 10 West of the 2nd Mer. Indiana has been compared with the Original notes in this Office and found to be correct.

Surveyor General's Office, }
Cincinnati Sept. 22. 1841 } E. S. Haines
Sur. General